

SAFETY DATA SHEET

1. Identification	
Identification Product name:	AEON PD XD
Additional identification Chemical name:	Mixture
Recommended use and restriction of	on use
Recommended use: Restrictions on use:	Not determined. Not determined.
Details of the supplier of the safety	data sheet
Supplier	Gardner Denver 1800 Gardner Expressway, Quincy, IL 62301 United States of America Ph: 217-222-5400
Emergency telephone number: FOR TRANSPORT EMERGENCY CA (LUBRIZOL)	LL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300
2. Hazard(s) identification	
Hazard Classification	Not classified
Label Elements:	
Hazard Symbol:	No symbol
Signal Word:	No signal word.
Hazard Statement:	not applicable
Precautionary Statement:	not applicable
Other hazards which do not result	None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Mineral oil	Not determined.	1 - 5%
Aryl thiophosphate	597-82-0	0.5 - 1%

The mineral oil contained in this material may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, and 64742-56-9.

4. First-aid measures

in GHS classification:

Ingestion:	Treat symptomatically. Get medical attention.
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.
Skin Contact:	Wash with soap and water. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.
Most important symptoms/effect	ts, acute and delayed
Symptoms:	See section 11.
Indication of immediate medical	attention and special treatment needed
Treatment:	Treat symptomatically.
5. Fire-fighting measures	
General Fire Hazards:	Use water to cool containers exposed to fire.
Suitable (and unsuitable) exting	uishing media
Suitable extinguishing media:	CO2, dry chemical, foam, water spray, water fog.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Recommend wearing self-contained breathing apparatus.
6. Accidental release measures	6
Personal precautions, protective equipment and emergency procedures:	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas.
Methods and material for containment and cleaning up:	Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:	Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Avoid prolonged exposure to heat and air. Avoid eye contact. Avoid repeated or prlonged skin contact. When using do not eat, drink or smoke. Avoid inhalation of aerosol, mist, spray, fume or vapor. Wash thoroughly after handling. Launder contaminated clothing before reuse. Use grounding and bonding connection when transferring material. Do not breathe thermal decomposition products.
Maximum Handling Temperature:	Not determined.
Conditions for safe storage, including any incompatibilities:	Store away from incompatible materials. Keep material from heat, light, sparks and flame. Store separately from oxidizers. Store in dry, well ventilated place away from sources of heat and direct sunlight. See section 10 for incompatible materials.
Maximum Storage Temperature:	Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (02 2012)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Appropriate engineering controls:

Adequate ventilation should be provided so that exposure limits are not exceeded. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.
Eye/face protection:	If contact is likely, safety glasses with side shields are recommended.
Skin Protection Hand Protection:	Nitrile. Consult clothing/glove manufacturer to determine appropriate type of glove for given situation. Nitrile. Gloves should always be inspected before each use and discarded if they show tears, pinholes, or signs of wear. Consult clothing/glove manufacturer to determine appropriate type of glove for given situation. Gloves should always be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

Other:	Long sleeve shirt is recommended. Wear apron or protective clothing in case of contact. Use good industrial hygiene practices. In case of skin contact, wash hands and arms thoroughly with soap and water to prevent a skin reaction.
Respiratory Protection:	Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Green
Odor:	Characteristic
Odor threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	514.9 °F (268.3 °C) (Cleveland Open Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explo	osive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.856 60.1 °F (15.6 °C)
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	38.75 mm2/s(104 °F (40 °C))

10. Stability and reactivity

Reactivity:

No data available.

Chemical Stability:

Material is stable under normal conditions.

Possibility of Hazardous Reactions:	Will not occur.
Conditions to Avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Strong bases. Strong mineral acids and strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.
44 To 100 100 100 100 100 100 100 100 100 10	

11. Toxicological information

Information on likely routes o Inhalation:	f exposure No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological e Acute toxicity Oral Product: Dermal Product: Inhalation Product: Skin Corrosion/Irritation Product:	Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data. Not classified for acute toxicity based on available data.
Serious Eye Damage/Ey Product:	re Irritation: Remarks: Not classified as a primary eye irritant.
Respiratory sensitizatio	n: No data available
Skin sensitization: Mineral oil	Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.
Specific Target Organ T Mineral oil	oxicity - Single Exposure: If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Aspiration Hazard:

Mineral oil	Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.
Chronic Effects Carcinogenicity: Product:	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
IARC Monographs on the Evalu No carcinogenic components iden	ation of Carcinogenic Risks to Humans: tified
US. National Toxicology Progra No carcinogenic components iden	m (NTP) Report on Carcinogens: tified
US. OSHA Specifically Regulate No carcinogenic components iden	ed Substances (29 CFR 1910.1001-1050): tified
Germ Cell Mutagenicity: Aryl thiophosphate	This material has not exhibited mutagenic or genotoxic potential in laboratory tests.
Reproductive toxicity: Aryl thiophosphate	Suspected of damaging fertility. Repeated oral gavage dosing of laboratory animals with aryl thiophosphate in a reproductive/developmental toxicity screening study resulted in litter loss and decreases in number of implantation sites at high doses.
Carboxylic ester	Not Classified based on available data.
Specific Target Organ Toxicity	- Repeated Exposure: No data available
12. Ecological information	
Ecotoxicity Fish Mineral oil	LC 50 (Fathead Minnow, 4 d): > 100 mg/l
Aquatic Invertebrates Mineral oil	EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): > 10 mg/l
Toxicity to Aquatic Plants Mineral oil	EC 50 (Green algae (Scenedesmus quadricauda), 3 Days): > 100 mg/l
Toxicity to soil dwelling organis	sms

Sediment Toxicity	No data available
Toxicity to Terrestrial Plant	s No data available
Toxicity to Above-Ground C	Drganisms No data available
Toxicity to microorganisms	No data available
Persistence and Degradability Biodegradation Mineral oil	OECD TG 301 B, 31 %, 28 d, Not readily degradable.
Bioaccumulative Potential Bioconcentration Factor (B	CF) No data available
Partition Coefficient n-octa	nol / water (log Kow) No data available
Mobility:	No data available
Other Adverse Effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.
Contaminated Packaging:	Container packaging may exhibit hazards.
14. Transport information	
DOT Not regulated.	
IMDG Not regulated.	
IATA Not regulated.	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code None known.

Shipping descriptions may vary based on mode of transport, quantities ,temperature of the material, package size, and/or origin and destination It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

None known.

SARA 302 Extremely Hazardous Substance SARA 304 Emergency Release Notification SARA 311/312 Hazardous Chemical SARA 313 (TRI Reporting)

This product may contain chemical(s) regulated under the Superfund Amendments and Reauthorization Act (SARA). For additional information please contact Lubrizol Customer Assistance: America(s): AmerLZAMCustomerAssistance@Lubrizol.com; Europe: EMEAICustomerAssistance@Lubrizol.com; Asia: APCustomerAssistance@Lubrizol.com

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

++ Silica, cristobalite Ethyl acrylate 38.00PPM 8.00PPM

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACh)

To obtain information on the REACH compliance status of this product, please visit Lubrizol.com/REACH, or e-mail us at REACH_MSDS_INQUIRIES@Lubrizol.com

Japan (ENCS)

This product requires notification in Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substance Ordinance in Switzerland. Lubrizol must maintain records of all imports of this product into Switzerland. Third party importers are asked to report every import to The Lubrizol PSCD Manager (Europe), Hazelwood, Derby DE56 1QN, UK.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.


United States (TSCA)

All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	04/14/2015
Version #:	1.1
Source of information:	Internal company data and other publically available resources.
Further Information:	Contact supplier (see Section 1)
Disclaimer:	As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.