

SAFETY DATA SHEET

Issuing Date 30-Apr-2020	Revision Date 09-Nov-2020	Revision Number 2
1. Identification		
Product identifier		
Product Name	CH2X	
Other means of identification		
UN/ID no	UN3264	
Synonyms	None	
Recommended use of the chemic	al and restrictions on use	
Recommended use	Hoof Care	
Restrictions on use	Use only for intended applications	
Details of the supplier of the safe	ty data sheet	
Supplier Address Specialty Sales, LLC 4672 E Drummond Ave Fresno, CA 93725 888-800-5898		
Emergency telephone number		
Emergency telephone	Chemtrec 1-800-424-9300	
2. Hazard(s) identification	า	

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Danger

Hazard statements

Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dusts or mists Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

1.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 16.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Hydrochloric Acid	7647-01-0	75-85	*

Copper (II) sulfate pentahydrate (1:1:5)	7758-99-8	10-20	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	
Description of first aid measures	
General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
5. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Explosion data Sensitivity to mechanical impac	ct None.
Sensitivity to static discharge	None.

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

6. Accidental release measures		
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	

7. Handling and storage

Precautions for safe handling

 Advice on safe handling
 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Trade secret	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
		(vacated) Ceiling: 7 mg/m ³	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m ³
		Ceiling: 7 mg/m ³	
Copper (II) sulfate pentahydrate	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
(1:1:5)			mist
7758-99-8			TWA: 1 mg/m ³ Cu dust and
			mist

Other information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on ba	asic physical	and chemical	properties

Information on basic physical and chemi		
Appearance		
Physical state Liqu		
	to green	
Odor Pung	gent	
Odor threshold No c	lata available	
Property	Values	Remarks • Method
рН	< 1	@ 23 °C
Melting point / freezing point	No data available	None known
Boiling point / boiling range	105 °C / 221 °F	
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits		
Vapor pressure	0.1	@ 20 °C
Vapor density	No data available	None known
Relative density	1.2296	
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

No information available.
No information available.
No information available

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Exposure to air or moisture over prolonged periods. Excessive heat.
Incompatible materials	Acids. Bases. Oxidizing agent.

Hazardous decomposition products Hydrogen gas. Hydrogen sulfide. Chlorine gas. Carbon dioxide (CO2).

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Pulmonary edema can be fatal. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. May cause irritation of respiratory tract. Harmful by inhalation.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.
Acute toxicity	
Numerical measures of toxicity	

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	569.70 mg/kg
ATEmix (inhalation-dust/mist)	1.10 mg/l

Unknown acute toxicity

1.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

16.51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trade secret	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L(Rat)1 h
Copper (II) sulfate pentahydrate (1:1:5) 7758-99-8	= 960 mg/kg (Rat)	>8 g/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Trade secret	-	Group 3	-	Х

Legend

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - PresentReproductive toxicityNo information available.STOT - single exposureMay cause respiratory irritation.

STOT - repeated exposure	No information available.
Target organ effects	liver, kidney, Respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Copper (II) sulfate pentahydrate (1:1:5)	-	LC50: 0.09 - 0.19mg/L (96h, Oncorhynchus	-	EC50: 0.147 - 0.227mg/L (48h,

7758-99-8	mykiss) LC50: 0.1478 -	Daphnia magna
	0.165mg/L (96h,	
	Oncorhynchus mykiss)	
	LC50: 0.66 - 1.15mg/L	
	(96h, Lepomis	
	macrochirus) LC50:	
	0.96 - 1.8mg/L (96h,	
	Lepomis macrochirus)	
	LC50: =0.6752mg/L	
	(96h, Pimephales	
	promelas)	

Persistence and degradability	No information available.
Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Copper (II) sulfate pentahydrate (1:1:5)	Toxic
7758-99-8	

14. Transport information

DOT

UN/ID no Proper shipping name	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Hazard class	8
Packing group	11
Reportable Quantity (RQ)	(Hydrochloric acid: RQ (kg)= 2270.00) Hydrochloric acid: RQ (lb)= 5000.00
DOT reportable quantity kg	Hydrochloric acid: RQ (kg)= 5955.00
(calculated)	
DOT Reportable Quantity lbs.	Hydrochloric acid: RQ (lb)= 13116.00
(calculated)	
Special Provisions	B2, IB2, T11, TP2, TP27
DOT Marine Pollutant	
Marine pollutant	Copper (II) sulfate pentahydrate (1:1:5)
Description	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Copper (II) sulfate
	pentahydrate (1:1:5), Hydrochloric acid), 8, II, Marine pollutant
Emergency Response Guide Number	154

<u>IATA</u>

UN number UN proper shipping name Transport hazard class(es) Packing group ERG Code Special Provisions Description	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II 8L A3, A803 UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Copper (II) sulfate pentahydrate (1:1:5), Hydrochloric acid), 8, II
IMDG	UN3264
UN number	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
UN proper shipping name	8
Transport hazard class(es)	II
Packing group	F-A, S-B
EmS-No	P
Marine pollutant	Copper (II) sulfate pentahydrate (1:1:5)
Marine pollutant	274
Special Provisions	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid, Copper
Description	(II) sulfate pentahydrate (1:1:5)), 8, II, Marine pollutant

15. Regulatory information	
International Inventories TSCA	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Trade secret -	1.0	
Copper (II) sulfate pentahydrate (1:1:5) - 7758-99-8	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trade secret	5000 lb	-	-	Х
Copper (II) sulfate pentahydrate (1:1:5) 7758-99-8	-	X	-	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	
Trade secret	5000 lb	5000 lb	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations "X" designates substances disclosed in Section 3 that are listed in State Right-to know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Trade secret	Х	Х	Х
Copper (II) sulfate pentahydrate (1:1:5) 7758-99-8	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and chemical	
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	properties - Personal protection X	
Key or legend to abb	reviations and acronyms u	sed in the safety data s	neet		
TWA TV	XPOSURE CONTROLS/PEI VA (time-weighted average) aximum limit value	RSONAL PROTECTION STEL *	STEL (Short Term Skin designation	Exposure Limit)	
Agency for Toxic Subs U.S. Environmental Pr European Food Safety EPA (Environmental Pr Acute Exposure Guide U.S. Environmental Pr U.S. Environmental Pr Food Research Journ Hazardous Substance International Uniform O Japan GHS Classifica Australia National Indu NIOSH (National Instit National Library of Me National Library of Me National Library of Me National Toxicology P New Zealand's Chemi Organization for Econ	Protection Agency) eline Level(s) (AEGL(s)) rotection Agency Federal Inse rotection Agency High Produc al 2 Database Chemical Information Databa tion Justrial Chemicals Notification tute for Occupational Safety a dicine's ChemID Plus (NLM C dicine's PubMed database (N rogram (NTP) cal Classification and Informa omic Co-operation and Deve omic Co-operation and Deve omic Co-operation and Deve	(ATSDR) Database ecticide, Fungicide, and R ction Volume Chemicals se (IUCLID) and Assessment Scheme and Health) CIP) JLM PUBMED) ation Database (CCID) lopment Environment, He elopment High Production	odenticide Act e (NICNAS) alth, and Safety Publication Volume Chemicals Program		
Issuing Date	30-Apr-202	0			

Issuing Date

Revision Date 30-Apr-2020

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet