

Safety Data Sheet Maxi-Guard

SECTION 1: Identification

1.1 Product identifier

Product name Maxi-Guard

Product number 8983159

1.2 Other means of identification

Chlorinated Alkaline Detergent

1.4 Supplier's details

Name Boumatic LLC
Address 2001 S. Stoughton
Madison, WI 53716
USA

Telephone 608-222-3484
email SDS@BouMatic.com

1.5 Emergency phone number(s)

24-Hour Emergency
1-800-255-3294 (U.S.)
001-813-248-0585 (International)

SECTION 2: Hazard identification

General hazard statement

The product is classified and labeled according to the Globally Harmonized System (GHS).

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Skin corrosion/irritation, Cat. 1A
- Eye damage/irritation, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Safety Data Sheet

Maxi-Guard

Hazard statement(s)

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash ... thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P280 Wear eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/...
P321 Specific treatment (see ... on this label).
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. Sodium hydroxide

Concentration Not specified
EC no. 215-185-5
CAS no. 1310-73-2
Index no. 011-002-00-6

- Skin corrosion/irritation, Cat. 1A

H314 Causes severe skin burns and eye damage

2. 2-Propenoic acid, telomer with sodium sulfite (1:1), sodium salt

Concentration Not specified
CAS no. 68479-09-4

3. Sodium hypochlorite solution (4-6% cl₂)

Concentration Not specified
EC no. 231-668-3
CAS no. 7681-52-9
Index no. 017-011-00-1

- Skin corrosion/irritation, Cat. 1B

- Hazardous to the aquatic environment, short-term (acute), Cat. 1

H314 Causes severe skin burns and eye damage
H400 Very toxic to aquatic life

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

| | |
|--|---|
| General advice | Immediately remove any clothing soiled by the product. |
| If inhaled | If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| In case of skin contact | Wash off with soap and plenty of water. Consult a physician. |
| In case of eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| If swallowed | Drink copious amounts of water and provide fresh air. Consult a physician. |
| Personal protective equipment for first-aid responders | No further relevant information available. |

4.2 Most important symptoms/effects, acute and delayed

No further relevant information available.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No further relevant information available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

No further relevant information available.

5.3 Special protective actions for fire-fighters

No special measures required.

Further information

No further relevant information available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel). Keep in suitable, closed containers for disposal.

Reference to other sections

Safety Data Sheet

Maxi-Guard

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Sodium hydroxide (CAS: 1310-73-2)

PEL (Inhalation): 2 mg/m³; USA (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): (C) 2 mg/m³; USA (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): (C) 2 mg/m³; USA (NIOSH)
OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): (C) 2 mg/m³; USA (ACGIH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests, no recommendation to the glove material can be given for the product/the preparation/the chemical mixture. Selection of glove material on consideration of penetration times, rates of diffusion and degradation.

Body protection

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Safety Data Sheet

Maxi-Guard

Thermal hazards

No data available

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|---|
| Appearance/form (physical state, color, etc.) | Liquid. Light Yellow. |
| Odor | Chlorine |
| Odor threshold | Not determined |
| pH | Not determined |
| Melting point/freezing point | Not determined |
| Initial boiling point and boiling range | 1390 C (2534 F) |
| Flash point | Not applicable |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not applicable |
| Upper/lower flammability limits | Not determined |
| Upper/lower explosive limits | Not applicable |
| Vapor pressure | Not determined |
| Vapor density | Not determined |
| Relative density | Not determined |
| Solubility(ies) | Not difficult to mix |
| Partition coefficient: n-octanol/water | Not determined |
| Auto-ignition temperature | Product is not self-igniting |
| Decomposition temperature | Not determined |
| Viscosity | Not determined |
| Explosive properties | Product does not present an explosion hazard. |
| Oxidizing properties | |

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

Sodium hydroxide : Caustic soda reacts with all the mineral acids to form the corresponding salts. It also reacts with weak-acid gases, such as hydrogen sulfide, sulfur dioxide, and carbon dioxide. Caustic soda reacts with amphoteric metals (Al, Zn, Sn) and their oxides to form complex anions such as $AlO_2(-)$, $ZnO_2(-2)$, $SnO_2(-2)$, and

Safety Data Sheet

Maxi-Guard

H₂ (or H₂O with oxides). All organic acids also react with sodium hydroxide to form soluble salts. Another common reaction of caustic soda is dehydrochlorination.

10.6 Hazardous decomposition products

Sodium hydroxide : Sodium oxides

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values that are relevant for classification:

1319-73-2 Sodium Hydroxide

Oral [LD50] 2000 mg/kg (Rat)

Skin corrosion/irritation

Causes severe skin burns.

Serious eye damage/irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

Strong caustic effect on skin and mucous membranes.

Germ cell mutagenicity

No data available

Carcinogenicity

IARC (International Agency for Research on Cancer): None of the ingredients listed.

NTP (National Toxicity Program): None of the ingredients listed.

OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients listed.

Reproductive toxicity

No data available

Summary of evaluation of the CMR properties

Carcinogenic categories: IARC (International Agency for Research on Cancer), NTP (National Toxicology Program),

OSHA-Ca (Occupational Safety and Health Administration): None of the ingredients listed.

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

May be harmful if swallowed and enters airways

Additional information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Safety Data Sheet

Maxi-Guard

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability

No further relevant information available.

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No further relevant data available.

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/ container in accordance with the local/regional/national/international regulations. Non Household Setting: Products covered by this SDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.

Disposal of contaminated packaging

Disposal must be made according to official regulations.

Waste treatment

Disposal must be made according to official regulations.

Sewage disposal

Disposal must be made according to official regulations.

Other disposal recommendations

Disposal must be made according to official regulations.

SECTION 14: Transport information

DOT (US)

UN Number: UN3266

Class: 8

Packing Group: II

Proper Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hypochlorite, Sodium Hydroxide)

Reportable quantity (RQ): N/A

Marine pollutant: No

Poison inhalation hazard: N/A

IMDG

UN Number: UN3266

Class: 8

Packing Group: II

Safety Data Sheet

Maxi-Guard

EMS Number: F-A-S-B

Proper Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hypochlorite, Sodium Hydroxide)

IATA

UN Number: UN3266

Class: 8

Packing Group: II

Proper Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hypochlorite, Sodium Hydroxide)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Sodium hydroxide

CAS number: 1310-73-2

New Jersey Right To Know Components

Common name: Sodium hydroxide

CAS number: 1310-73-2

Pennsylvania Right To Know Components

Chemical name: Sodium hydroxide

CAS number: 1310-73-2

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right To Know Components

Chemical name: Sodium hypochlorite

CAS number: 7681-52-9

New Jersey Right To Know Components

Common name: Sodium hypochlorite

CAS number: 7681-52-9

Pennsylvania Right To Know Components

Chemical name: Hypochlorous acid, sodium salt

CAS number: 7681-52-9

Safety Data Sheet

Maxi-Guard


15.2 Chemical Safety Assessment

Keep out of reach of children. Read label before use. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

HMIS Rating

| Maxi-Guard | |
|---------------------|---|
| HEALTH | 4 |
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | |

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall BouMatic be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if BouMatic has been advised of the possibility of such damages.

16.2 Preparation information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.