

# **StrongHold SL Acid Cleaner**

#### **Section 1. Chemical Product and Company Information**

Product Name : StrongHold SL Acid Cleaner

Other means of identification : Not applicable

Recommended Use : Pipeline cleaning product

Restrictions on Use : Reserved for industrial and professional use.

Supplier Information : AgroChem Inc.

26 Freedom Way

Saratoga Springs, NY 12866

(518) 226-4850

Product Dilution : 0.0% - 0.078%

Date of issue : 07/15/2017

EMERGENCY HEALTH INFORMATION : 1 (800) 424-9300 Outside United States and Canada CALL: +1 (703) 741-5500

#### Section 2. Hazards Identification

GHS Classification Category

Skin corrosion : 1A Serious eye damage : 1

**GHS Label Element** 

Hazard pictograms :

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements :

**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products – will cause chlorine

gas.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON

SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several



#### StrongHold SL Acid Cleaner

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/ container to an approved waste disposal

plant.

Other hazards : None Known

#### Section 3. Composition / Information on Ingredients

Pure substance/mixture : Mixture

 Chemical Name
 CAS-No.
 Concentration (%)

 Phosphoric Acid
 7664-38-2
 20 - 30

 Sulfuric Acid
 7664-93-9
 5 - 15

#### **Section 4. First Aid Measures**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)



### StrongHold SL Acid Cleaner

#### **Section 5. Fire-Fighting Measures**

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion products

Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of

phosphorus

Special protective equipment for

fire-fighters

: Use personal protective equipment.

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

#### **Section 6. Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

rodon a waterway.

#### Section 7. Handling and Storage

Advice on safe handling

Do not ingest. Do not get in eyes, on skin, or on clothing. Do not



#### StrongHold SL Acid Cleaner

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage Keep away from strong bases. Keep out of reach of children.

Store in suitable labeled containers.

Storage temperature -30 °C to 50 °C

#### **Section 8. Exposure Controls / Personal Protection**

Ingredients	CAS-No.	Form of Exposure	Permissible	Basis
			Concentration	
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 ppm	ACGIH
		TWA	1 mg/m3	NIOSH REL
		ST	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
Sulfuric Acid	7664-93-9	TWA (Thoracic fraction)	0.2 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles / face protection

Hand protection Wear the following personal protective equipment: Standard

glove type. Gloves should be discarded and replaced if there is

any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.



# StrongHold SL Acid Cleaner

### **Section 9. Physical and Chemical Properties**

Appearance : Liquid

Color : Clear, Red

Odor : Pungent

pH : 1.0, 100%

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

>100°C

No data available

Initial boiling point and boiling

range

**Evaporation Rate** No data available Flammability (solid, gas) No data available Upper explosion limit No data available Lower explosion limit No data available Vapor pressure No data available Relative vapor density No data available Relative density 1.171 - 1.181Water solubility No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Autoignition temperature : No data available
Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Molecular weight : No data available
VOC : No data available



### StrongHold SL Acid Cleaner

### **Section 10. Stability and Reactivity**

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid None known.

Incompatible materials Bases

Metals

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

#### **Section 11. Toxicological Information**

Information on likely routes of

exposure

Inhalation, Eye contact, Skin contact

Potential Health Effects :

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human** 

exposure

:

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity : No data available
Acute oral toxicity : No data available
Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available



#### StrongHold SL Acid Cleaner

Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitization No data available Carcinogenicity No data available Reproductive effects No data available Germ cell mutagenicity No data available

STOT-single exposure No data available STOT-repeated exposure No data available Aspiration toxicity No data available

Ingredients Acute oral toxicity

Phosphoric acid LD50 Rat: > 2,000 mg/kg

Ingredients

Teratogenicity

Acute oral toxicity Phosphoric acid

LD50 Rabbit: > 2,000 mg/kg

No data available

## **Section 12. Ecological Information**

**Ecotoxicity** 

**Environmental Effects** This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish No data available: 96 h LC50: > 120 mg/l

Toxicity to daphnia and other

No data available: 48 h EC50: > 120 mg/l aquatic invertebrates

Toxicity to algae No data available

Ingredients

Toxicity to fish Phosphoric acid

96 h LC50: 75.1 mg/l

Persistence and degradability No data available

Bioaccumulative potential No data available Mobility in soil No data available

Other adverse effects No data available



### StrongHold SL Acid Cleaner

#### **Section 13. Disposal Considerations**

Disposal methods : The product should not be allowed to enter drains, water courses

or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do

not re-use empty containers.

RCRA - Resource Conservation and Recovery Authorization Act

Hazardous waste

: D002 (Corrosive)

#### **Section 14. Transport Information**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3264

Description of the goods : Corrosive liquid, acidic, inorganic, n.o.s.

(Phosphoric acid, Sulfuric acid)

Class : 8
Packing group : II
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 3264

Description of the goods : Corrosive liquid, acidic, inorganic, n.o.s.

(Phosphoric acid, Sulfuric acid)

Class : 8
Packing group : II
Environmentally hazardous : No

#### Section 15. Regulatory Information

EPA Registration Number : None required.

**EPCRA - Emergency Planning and Community Right-to-Know** 



#### StrongHold SL Acid Cleaner

**CERCLA Reportable Quantity** 

Ingredients	CAS-No	Component RQ (lbs)	Calculated product RQ
		(iss)	(lbs)
Sulfuric Acid	7664-93-9	1,000	10,000
Phosphoric Acid	7664-38-2	5,000	20,000

**SARA 304** This material does not contain any components with a section

304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

**SARA 302** : The following components are subject to reporting levels

established by SARA Title III, Section 302:

Sulfuric Acid	7664-93-9	10.0%
Phosphoric Acid	7664-38-2	25.0%

**SARA 313** This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

: This product does not contain any chemicals known to the State California Prop 65

of California to cause cancer, birth, or any other reproductive

defects.

The ingredients of this product are reported in the following inventories:

**United States TSCA Inventory** 

List (DSL)

Substances (AICS)

New Zealand, Inventory of

**Chemical Substances** 

Japan. ENCS - Existing and **New Chemical Substances** 

Inventory

Japan. ENCS - Existing and **New Chemical Substances** 

Inventory

Japan. ISHL - Inventory of **Chemical Substances** 

Korea. Korean Existing Chemicals Inventory (KECI)

Philippines Inventory of **Chemicals and Chemical** Substances (PICCS)

China. Inventory of Existing **Chemical Substances in China** (IECSC)

: On TSCA Inventory

Canadian Domestic Substances : All components of this product are on the Canadian DSL.

Australia Inventory of Chemical : On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory


On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

### Section 16. Other Information



# **StrongHold SL Acid Cleaner**



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL	0
HAZARD	

0 = Not Significant, 1 = Slight

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 7/15/2017

Version : 1 Prepared by : RJD

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.